



Management Platform Hardware Requirements

Document Type : Guide
Release Date : 31 October 2016
Version : Consult KSES DMS for the latest version of this document

This document contains confidential information and may not be copied, circulated or distributed without the prior written consent of Keystone Electronic Solutions

Table of Contents

1 Glossary	3
2 Introduction	4
3 Requirements	4
3.1 Virtual Server	4
3.2 Physical Server	5

1 Glossary

Term / Acronym	Description
CGI	Common Gateway Interface
DMS	Document Management System
GB	Giga Bytes
RSM	Remote Site Monitoring
IP	Internet protocol
KSES	Keystone Electronic Solutions
MB	Mega Bytes

2 Introduction

The document describes the hardware requirements for the RSM management platform.

3 Requirements

3.1 Virtual Server

Minimum

<i>CPU</i>	2 VCPU or more
<i>RAM</i>	2 GB or more
<i>HDD</i>	80 GB or more

Recommended

<i>CPU</i>	2 VCPU or more
<i>RAM</i>	4 GB or more

<i>HDD</i>	80 GB or more
------------	---------------

3.2 Physical Server

Minimum

<i>CPU</i>	Intel i3 or more
<i>RAM</i>	2 GB or more
<i>HDD</i>	80 GB or more

Recommended

<i>CPU</i>	Xeon or more
<i>RAM</i>	4 GB or more
<i>HDD</i>	80 GB or more

END OF DOCUMENT